

L Number	Hits	Search Text	DB	Time stamp
30	61463	(down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:26
32	0	((down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6)) with ((pager or wire\$less) adj2 network)) with ((serial or com or communicat\$4)adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:27
33	2	((down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6)) with ((pager or wire\$less) adj2 network)) and ((serial or com or communicat\$4)adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 13:05
31	41	((down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6)) with ((pager or wire\$less) adj2 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 13:31
34	5	(re\$program\$6 or re\$configur\$6 or upgrad\$4 or modif\$7) with (pager adj1 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:26
35	10792	(down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6)	EPO; JPO; DERWENT	2004/04/07 13:50
36	17	((down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6)) with ((pager or wire\$less) adj2 network)	EPO; JPO; DERWENT	2004/04/07 13:38
37	1	6131040.pn.	USPAT	2004/04/07 13:43
40	1	5787288.pn.	USPAT	2004/04/07 13:42
38	1	6058104.pn.	USPAT	2004/04/07 13:43
39	1	5937198.pn.	USPAT	2004/04/07 13:46
41	95	((wire\$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 13:49
43	0	((wire\$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and ((down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6))	EPO; JPO; DERWENT	2004/04/07 13:50
42	71	((wire\$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and (re\$program\$6 or re\$configur\$7 or upgrad\$6 or modif\$7)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 13:51
44	21	((wire\$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and ((down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:17

45	0	((wire\$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and (communication adj afdapter)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:17
46	1	((wire\$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and (communication adj adapter)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:20
47	3	(communication adj adapter)with ((pager or wireless)adj network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:22
48	2113	communication adj adapter	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:22
50	166	(communication adj adapter) and ((RF or (radio adj frequency) or pager or wireless)adj network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:23
51	0	((communication adj adapter) and ((RF or (radio adj frequency) or pager or wireless)adj network)) and ((re\$program\$6 or re\$configur\$6 or upgrad\$4 or modif\$7) with (pager adj1 network))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:25
52	158	((communication adj adapter) and ((RF or (radio adj frequency) or pager or wireless)adj network)) and ((re\$program\$6 or re\$configur\$6 or upgrad\$4 or modif\$7))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:25
53	6182	717/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:26
54	636	717/\$.ccls. and ((down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:26
55	0	717/\$.ccls. and ((re\$program\$6 or re\$configur\$6 or upgrad\$4 or modif\$7) with (pager adj1 network))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:27
49	3	(communication adj adapter) same ((pager or wireless)adj network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:28
56	110	(717/\$.ccls. and ((down\$load\$3 or receiv\$4 or transfer\$3 or send\$4 or transmi\$6)near6 ((new adj (program or software or code))or up\$grad\$4 or re\$program\$4 or re\$configur\$6 or modif\$6)) and ((serial or com or communicat\$4)adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:28
-	0	reprogram\$4 near6 (pager adj2 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:18
-	6	(reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 (pager adj2 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:20
-	394	(reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 ((pager or wireless or radio) adj2 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:20
-	492	(reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:23
-	4	((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 ((pager or wireless or radio) near3 network)) same flash	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:23
-	0	((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 remot\$4) with ((pager or wireless or radio) near3 network)) same flash	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:23
-	16	((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 remot\$4) with ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:25

-	113	((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 (device or flash or memory or code or software)) with ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:43
-	2201	two\$way near3 pag\$3	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:41
-	51	(two\$way near3 pag\$3) same ((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 (device or flash or memory or code or software))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:43
-	3	(two\$way near3 pag\$3) with ((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 (device or flash or memory or code or software))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:46
-	320	(two\$way near3 pag\$3) same ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:47
-	6	((two\$way near3 pag\$3) same ((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 (device or flash or memory or code or software))) and ((two\$way near3 pag\$3) same ((pager or wireless or radio) near3 network))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:43
-	629	(two\$way near3 pag\$3) and ((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 (device or flash or memory or code or software))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:47
-	348	((two\$way near3 pag\$3) and ((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 (device or flash or memory or code or software))) and ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:50
-	12	((two\$way near3 pag\$3) and ((reprogram\$4 or modif\$5 or load\$3 or upgrad\$3) near6 (device or flash or memory or code or software))) and ((pager or wireless or radio) near3 network) and (remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:49
-	0	((remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom)) with ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:51
-	0	((remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom)) same ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:16
-	3	((remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom)) and ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:12
-	45	(remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:12
-	540	(remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom or device)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:35
-	89	(remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom or device)	EPO; JPO; DERWENT	2003/11/12 13:12
-	2	((remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom or device)) and ((pager or wireless or radio) near3 network)	EPO; JPO; DERWENT	2003/11/12 13:13
-	5	((remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom or device)) same ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:17

-	110	((remot\$4 near5 (re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom or device)) and ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:34
-	92	((pag\$4 or wireless or (radio near2 frequency)) near4 network)) same((re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom or device)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:36
-	213	((pag\$4 or wireless or (radio near2 frequency)) near4 network)) same((re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom or device or software or firmware)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:36
-	41	((pag\$4 or wireless or (radio near2 frequency)) near4 network)) same((re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom or device or software or firmware)) and (pag\$4 near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:37
-	32	((pag\$4 or wireless or (radio near2 frequency)) near4 network)) same((re\$program\$4 or upgrad\$3 or modif\$6))near6 (flash or rom or eeprom or prom or device or software or firmware)) same (pag\$4 near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 14:13
-	1	6389321.pn.	USPAT; US-PGPUB; IBM_TDB	2003/11/12 14:13
-	19	((re\$program\$4 or upgrad\$4 or re\$load\$4)near4 (software or code))with ((communication or serial) adj2 port)) and ((pager or wireless or remot\$4)near4 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:07
-	54	((re\$program\$4 or upgrad\$4 or re\$load\$4)near4 (software or code))with ((communication or serial) adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:11
-	47	((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) with ((communication or serial) adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:08
-	4194	((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) and ((pager or wireless or remot\$4)near4 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:07
-	4194	((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) and ((pager or wireless or remot\$4)near4 network)) and ((pager or wireless or remot\$4)near4 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:07
-	733	((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) and ((pager or wireless or remot\$4)near4 network)) and ((communication or serial) adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:10
-	5	((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) with ((communication or serial) adj2 port)) and ((pager or wireless or remot\$4)near4 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:13
-	583	((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) and ((pager or wireless or remot\$4)near4 network)) and ((serial) adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:11
-	295	((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) and ((pager or wireless or remot\$4)near4 network)) and ((serial) adj2 port)) and (embed\$6)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:11

-	1	((((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) and ((pager or wireless or remot\$4)near4 network)) and ((serial) adj2 port)) and (((re\$program\$4 or upgrad\$4 or re\$load\$4)near4 (software or code))with ((communication or serial) adj2 port))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:12
-	1	((((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) and ((pager or wireless or remot\$4)near4 network)) and (((re\$program\$4 or upgrad\$4 or re\$load\$4)near4 (software or code))with ((communication or serial) adj2 port))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:12
-	33	((field near4 (program\$6 or configur\$6 or upgrad\$4 or updat\$4))) and (((re\$program\$4 or upgrad\$4 or re\$load\$4)near4 (software or code))same((pager or wireless or remot\$4)near4 network))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:39
-	1	5937198.pn.	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:41
-	1	5822692.pn.	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:41
-	1	5544036.pn.	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:41